

Hypalon RIBs

We have a wide range of RIBs at some great price points. Every boat has a 5 years warranty on PVC inflatable parts, and 10 years for Hypalon. Every Boat is carefully hand made (glued), following a special gluing technique with quadruple seams. The high quality standards comply with and exceed all CE and ISO Boating standards.

<p>Albatross RIB COMFORT LEISURE FAMILY FUN DEEP SEA FISHING</p> <p>3 MODELS AVAILABLE 4 TO 7 PASSENGERS</p>	
<p>Captain RIB PERFORMANCE AGILITY VERSATILITY</p> <p>9 MODELS AVAILABLE 9 TO 11 PASSENGERS</p>	
<p>Calypso (SUV) RIB MULTIPURPOSE HEAVY DUTY ATTRACTIVE</p> <p>3 MODELS AVAILABLE 5 TO 7 PASSENGERS</p>	
<p>Angel Tender RIB COMFORTABLE COMPACT HIGH PERFORMANCE</p> <p>2 MODELS AVAILABLE 2 TO 4 PASSENGERS</p>	
<p>Nemo Tender RIB LIGHT COMPACT EASY TO HANDLE</p> <p>6 MODELS AVAILABLE 2 TO 4 PASSENGERS</p>	



HENDERSON MARINE SUPPLY, INC.

800-523-1586 www.hendersonmarine.com

Specifications subject to change without notice. Not responsible for rust.

Liability limited to product replacement at the option of Henderson Marine Supply, Inc.

Not responsible for any inaccuracies in specifications.

Page 25-01-1

Last Updated: 10/17/2007 3:52:00 PM

Albatross RIBs

**COMFORT
LEISURE
FAMILY FUN
DEEP SEA FISHING**

Safe, Fast and Comfortable, huge space inside, this RIB takes you one big step forward in terms of boating pleasure. You will be able to face open sea in comfort and enjoy the great sensation of cruising any open water on your Albatross RIB.



There are 3 Albatross models and their technical data is on the pages below:

Albatross 650 Deluxe	11 passengers
Albatross 650	11 passengers
Albatross 560	9 passengers



HENDERSON MARINE SUPPLY, INC.
800-523-1586 www.hendersonmarine.com
*Specifications subject to change without notice. Not responsible for rust.
Liability limited to product replacement at the option of Henderson Marine Supply, Inc.
Not responsible for any inaccuracies in specifications.*

Page 25-01-2
Last Updated: 10/17/2007 3:52:00 PM

Albatross RIBs

Albatross 650 Deluxe



Technical Data:

DIMENSION		CAPACITY	
Overall length	6.5M (21' 4")	Passengers	11
Inside length	4.7M (15' 5")	Airtight compartment	3
Over all width	2.8M (9' 2")	Maximum payload	1500KG (3307LBS)
Buoyancy the diameter	0.52 (1' 8")	Net weight	870KG (1918LBS)
OUTBOARD DATA		Design Category	
Max power allowed	100HP (73.5KW)	European directive N	C
Shaft	Extra Long	94/25/CE	3
		EN ISO 6185-1/2/3	

Equipment:

Standard		Optional	
Pedestal forehead seat csl 8040	Repair kit	Electric pump	
Arch Fishing Rod Holder	Foot pump	Console cover	
Pressure gauge	Boat cover	Rope boarding ladder	
Double Bolster seat	Oars	Trailer	
Rigid boarding ladder	Owner's manual	Foldable Canopy	
Star steering wheel	Fridge		
Radio	Fish finder		



HENDERSON MARINE SUPPLY, INC.

800-523-1586 www.hendersonmarine.com

Specifications subject to change without notice. Not responsible for rust.

Liability limited to product replacement at the option of Henderson Marine Supply, Inc.

Not responsible for any inaccuracies in specifications.

Page 25-01-3

Last Updated: 10/17/2007 3:52:00 PM

Albatross RIBs

Albatross 650



Technical Data:

DIMENSION		CAPACITY	
Overall length	6.5M (21' 4")	Passengers	11
Inside length	4.7M (15' 5")	Airtight compartment	3
Over all width	2.8M (9' 2")	Maximum payload	1500KG (3307LBS)
Buoyancy the diameter	0.52 (1' 8")	Net weight	850KG (1874LBS)
OUTBOARD DATA		Design Category	
Max power allowed	100HP (73.5KW)	European directive N	C
Shaft	Extra Long	94/25/CE	3
		EN ISO 6185-1/2/3	

Equipment:

Standard		Optional	
Pedestal forehead seat csl 8040	Repair kit	Electric pump	
Arch Fishing Rod Holder	Foot pump	Console cover	
Pressure gauge	Boat cover	Rigid boarding ladder	
Double Bolster seat	Oars	Trailer	
Rope boarding ladder	Owner's manual	Foldable Canopy	
Star steering wheel			



HENDERSON MARINE SUPPLY, INC.
800-523-1586 www.hendersonmarine.com

*Specifications subject to change without notice. Not responsible for rust.
Liability limited to product replacement at the option of Henderson Marine Supply, Inc.
Not responsible for any inaccuracies in specifications.*

Page 25-01-4
Last Updated: 10/17/2007 3:52:00 PM

Albatross RIBs

Albatross 560



Technical Data:

DIMENSION		CAPACITY	
Overall length	5.6M (18' 4")	Passengers	9
Inside length	3.85M (12' 8")	Airtight compartment	3
Over all width	2.36M (7' 9")	Maximum payload	1200KG (2646LBS)
Buoyancy the diameter	0.52 (1' 8")	Net weight	620KG (1367LBS)
OUTBOARD DATA		Design Category	
Max power allowed	90HP (66KW)	European directive N	C
Shaft	Extra Long	94/25/CE	3
		EN ISO 6185-1/2/3	

Equipment:

Standard		Optional	
Pedestal forehead seat csl 5040	Repair kit	Electric pump	
Pressure gauge	Foot pump	Console cover	
Arch Fishing Rod Holder	Boat cover	Rigid boarding ladder	
Owner's manual	Oars	Trailer	
Rope boarding ladder		Fridge	
Star steering wheel		Foldable Canopy	



HENDERSON MARINE SUPPLY, INC.

800-523-1586 www.hendersonmarine.com

Specifications subject to change without notice. Not responsible for rust.

Liability limited to product replacement at the option of Henderson Marine Supply, Inc.

Not responsible for any inaccuracies in specifications.

Page 25-01-5

Last Updated: 10/17/2007 3:52:00 PM