

Twisted Rope



TWISTED POLYPROPYLENE

More than twice the strength of manila rope, polypropylene is made from 100% monofilament fibers. A floating rope which may be stored wet without damage to the fibers and has great resistance to rot, mildew, acids, oil, grease and most chemicals.

SIZE	ROPE COLOR	CASE WT.	REEL SIZE
1/8" x 1500'	Yellow	5.5	10" x 5"
1/8" x 3000'	Yellow	10.5	10" x 10"
3/16" x 1000'	Yellow	7.0	10" x 5"
1/4" x 600'	Yellow, Black	7.0	10" x 5"
1/4" x 1200'	Yellow, White, Black	14.5	Standard
5/16" x 600'	Yellow, Black	11.0	10" x 10"
5/16" x 1200'	Yellow	21.5	Standard
3/8" x 600'	Yellow, White, Black	17.0	Standard
3/8" x 1200'	Yellow, White	33.5	Standard
7/16" x 600'	Yellow	23.0	Standard
7/16" x 1200'	Yellow	45.5	Standard
1/2" x 250'	Yellow	12.0	10" x 10"
1/2" x 300'	Yellow	14.0	Standard
1/2" x 600'	Yellow, White, Black	28.0	Standard
1/2" x 1200'	Yellow	56.5	Standard
5/8" x 125'	Yellow	9.5	10" x 10"
5/8" x 300'	Yellow	22.5	Standard
5/8" x 600'	Yellow	45.0	Standard
5/8" x 1200'	Yellow	90.0	Standard
3/4" x 300'	Yellow	32.0	Standard
3/4" x 600'	Yellow, Black	64.0	Standard
3/4" x 1200'	Yellow	128.5	Standard
7/8" x 600'	Yellow	90.0	Standard
7/8" x 1200'	Yellow	180.0	Standard
1" x 300'	Yellow	54.0	Standard
1" x 600'	Yellow	108.0	Standard
1" x 1200'	Yellow	216.0	Standard

Diameters up to 4" and lengths to 25,000 feet available upon special request.



TWISTED NYLON

Great elasticity to absorb shock loads that would break ropes of the same size made of other fibers. Manufactured from 100% filament nylon fibers; the strongest rope in general use today. Approximately two and one half times the strength of Manila with excellent resistance to abrasion, rot, mildew, oil, grease, gasoline, acids and most chemicals.

SIZE	CASE WT.	REEL SIZE
3/16" x 1000'	10.0	10" x 5"
1/4" x 600'	9.0	10" x 5"
1/4" x 1200'	18.0	Standard
5/16" x 300'	7.5	10" x 5"
5/16" x 600'	15.0	10" x 10"
5/16" x 1200'	30.0	Standard
3/8" x 200'	7.0	10" x 5"
3/8" x 300'	10.5	10" x 10"
3/8" x 600'	21.0	Standard
3/8" x 1200'	42.0	Standard
7/16" x 600'	30.0	Standard
7/16" x 1200'	60.0	Standard
1/2" x 250'	16.5	10" x 10"
1/2" x 300'	19.5	Standard
1/2" x 600'	39.0	Standard
1/2" x 1200'	78.0	Standard
5/8" x 300'	31.5	Standard
5/8" x 600'	63.0	Standard
5/8" x 1200'	126.0	Standard
3/4" x 300'	43.5	Standard
3/4" x 600'	87.0	Standard
3/4" x 1200'	174.0	Standard
7/8" x 600'	120.0	Standard
7/8" x 1200'	240.0	Standard
1" x 300'	79.0	Standard
1" x 600'	158.5	Standard
1" x 1200'	317.0	Standard



HENDERSON MARINE SUPPLY, INC.

800-523-1586 www.hendersonmarine.com

Specifications subject to change without notice. Not responsible for rust.

Liability limited to product replacement at the option of Henderson Marine Supply, Inc.

Not responsible for any inaccuracies in specifications.

Page 23-1

Last Updated: 3/24/2003 11:02:00 AM

Twisted Rope




POLYESTER TWISTED ROPE

Manufactured from 100% virgin filament polyester fibers. Polyester has twice the break strength of manila and excellent resistance to abrasion. Where nylon has great elasticity, Polyester has very little. The ideal rope in application where minimum stretch is required. Resistant to oil, grease, acids, most chemicals, will not rot or mildew. May be stored wet.

SIZE	CASE WT.	REEL SIZE
3/16" x 1000'	12.0	10" x 5"
1/4" x 600'	12.0	10" x 5"
1/4" x 1200'	24.0	Standard
5/16" x 600'	18.5	10" x 10'
3/8" x 600'	27.0	Standard
3/8" x 1200'	54.0	Standard
1/2" x 600'	48.0	Standard
1/2" x 1200'	96.0	Standard
5/8" x 600'	78.0	Standard
3/4" x 600'	105.0	Standard
7/8" x 600'	150.0	Standard
1" x 600'	182.5	Standard


Diameters up to 4" and lengths to 25,000 feet available upon special request.



MANILA POLY TWISTED

Manila poly is half the weight of natural manila, yet is stronger and cost less. Like other polypropylenes, it is resistant to rot, mildew, abrasion and is not damaged by oil, grease and most chemicals.

SIZE	CASE WT.	REEL SIZE
1/4" x 600'	7.0	10" x 5"
1/4" x 1200'	14.5	Standard
5/16" x 600'	11.0	10" x 10'
3/8" x 600'	17.0	Standard
3/8" x 1200'	33.5	Standard
1/2" x 600'	28.0	Standard
1/2" x 1200'	56.5	Standard
5/8" x 600'	45.0	Standard
5/8" x 1200'	90.0	Standard
3/4" x 600'	64.0	Standard



EXTRA-LENE TWISTED

The best properties of two compatible fibers, polyester and polypropylene, create an exceptionally high strength, lightweight and competitively priced rope. The polypropylene provides a high strength, lightweight core, while the polyester cover yarns provide great resistance to abrasion, excellent rendering properties and a long service life. It won't rot or mildew and is not subject to deterioration by oil, grease and most chemicals. Look for the distinctive orange tracers.

SIZE	CASE WT.	REEL SIZE
3/8" x 600'	21.5	Standard
3/8" x 1200'	43.0	Standard
1/2" x 300'	19.5	Standard
1/2" x 600'	39.0	Standard
1/2" x 1200'	78.0	Standard
5/8" x 300'	28.5	Standard
5/8" x 600'	57.0	Standard
5/8" x 1200'	114.0	Standard
3/4" x 300'	37.5	Standard
3/4" x 600'	75.0	Standard
3/4" x 1200'	150.0	Standard
7/8" x 600'	108.0	Standard
7/8" x 1200'	216.0	Standard
1" x 300'	65.5	Standard
1" x 600'	131.0	Standard
1" x 1200'	261.5	Standard

Diameters up to 4" and lengths to 25,000 feet available upon special request.



HENDERSON MARINE SUPPLY, INC.

800-523-1586 www.hendersonmarine.com

Specifications subject to change without notice. Not responsible for rust.

Liability limited to product replacement at the option of Henderson Marine Supply, Inc.

Not responsible for any inaccuracies in specifications.

Page 23-1a

Last Updated: 3/24/2003 11:02:00 AM

Twisted Rope



NATURAL MANILA TWISTED

Highest quality natural rope. Resists sunlight, does not melt like synthetics, has little stretch. Great knot holding ability.

SIZE	CASE WT.	REEL SIZE
MANILA REELS		
1/4" x 600'	12.0	10' x 10"
3/8" x 600'	24.5	Standard
1/2" x 600'	45.0	Standard
5/8" x 600'	80.0	Standard
3/4" x 600'	100.0	Standard
MANILA COILS		
1/4" x 600'	12.0	
1/4" x 1200'	24.5	
5/16" x 600'	17.5	
3/8" x 600'	24.5	
3/8" x 1200'	49.0	
1/2" x 600'	45.0	
1/2" x 1200'	90.0	
5/8" x 600'	80.0	
3/4" x 600'	100.0	
7/8" x 600'	134.5	
1" x 600'	162.0	
1 1/4" x 600'	249.5	
1 1/2" x 600'	360.0	



HENDERSON MARINE SUPPLY, INC.

800-523-1586 www.hendersonmarine.com

Specifications subject to change without notice. Not responsible for rust.

Liability limited to product replacement at the option of Henderson Marine Supply, Inc.

Not responsible for any inaccuracies in specifications.

Page 23-1b

Last Updated: 3/24/2003 11:02:00 AM